

Laserfiche WebLink 10.1: Creating Multiple Directories

To create another virtual directory:

1. Navigate to the folder containing the WebLink site files (depending on the install path).
 - Typically, **C:\Program Files\Laserfiche\WebLink\WebLink\Web Files**
2. Copy the **Web Files** folder to a new location\directory on the same server
 - For example, **C:\Program Files\Laserfiche\WebLink2**
3. Open **Internet Information Services (IIS)** and expand **Sites > Default Website**
4. Right-click on **Default Website** and select **Add Application**
 - Choose an **Alias** for the new instance. For example, **WebLink2**
 - Click **Select** next to **Application Pool** and choose **WebLinkAppPool**
 - Set the **Physical Path** to the location the **Web Files** were copied to in **Step 2**
 - Click **OK**
5. In the new application, double-click **Default Document**
6. In the **Actions** pane on the right, click **Add...**
 - Enter **Welcome.aspx** (or the preferred default page) in the **Name** field and click **OK**
 - Make sure this new entry is at the top of the list

To support LFDS Authentication:

7. Navigate to the directory for the new site's files (created in **Step 2**) and open the **web.config** file
8. Locate **<system.identityModel.services>** (on or near line 173) then find the **cookieHandler** node
 - Change the **path** value of the **cookiehandler** node to match the new site's **Alias**
 - For example, **<cookieHandler requireSsl="true" name="LFAuth" path="/WebLink2" />**
9. Save the changes to the **web.config** file
10. Verify **Windows Authentication** is **Enabled** in the application's **IIS Authentication** settings

Registering the new site/directory in WebLink:

1. Open the **WebLink Designer** and click **Register** on the top left side of the page
2. Select the new site created in the previous steps and click **OK**
3. Configure the new WebLink instance
 - Use the new site's **Alias** in the **Laserfiche WebLink Host URL**
 - For example, **ServerName/WebLink2/**